



We help you shine.™

**PRIME-STAR™**  
BASE COAT

# 409 PRIME-STAR™

## BASE COAT

Specifically formulated to work with DAY STAR® Floor Coating. Achieve maximum depth in a wet-look shine with fewer layers of coating.

Our **high solids** base coat with **high** initial gloss.

### Product Packaging\*



**PROD CODE: 409FS**  
 SIZE: 2.5 US gallons (9.5 liters)  
 ORDER QTY: 2 per case



**PROD CODE: 409FSE**  
 SIZE: 2.64 US gallons (10 liters)  
 ORDER QTY: 2 per case

\*Multi-Language Label.



**PROD CODE: 409MPE**  
 SIZE: 1.06 US gallons (4 liters)  
 ORDER QTY: 4 per case

\*Multi-Language Label.

\* Special packaging for specific requirements available upon request.

### Recommended Surfaces:

Vinyl composition tile ("VCT").

### Directions for use:


1. Strip floor with recommended floor stripper, stripping machine and pad or brushes manufactured by Amano Pioneer Eclipse.
2. Apply 2 to 3 thin coats of PRIME-STAR Base Coat with a clean synthetic mop. Allow floor to dry between coats. Burnish as desired.
3. Apply 3 to 4 thin coats of DAY STAR Floor Coating. Follow label instructions. Burnish as desired.

NOTE: To prevent contamination do not pour unused product from bucket into original container.

### Product Data:

<b>Description</b>	Polymer emulsion	<b>Coverage</b>	1500 ft <sup>2</sup> /gal first coat 37 m <sup>2</sup> /l 2500 to 3000 ft <sup>2</sup> /gal 61 to 74 m <sup>2</sup> /liter	<b>Detergent Resistance</b>	Excellent
<b>Appearance</b>	Milky white	<b>Fragrance</b>	Slight ammoniacal	<b>Removability</b>	Excellent
<b>Non-volatile solids</b>	22%	<b>Slip Resistance</b>	Meets requirements	<b>Drying Time</b>	20-25 minutes
<b>pH</b>	8.7	<b>Shelf Life</b>	1 year	<b>Freeze/Thaw</b>	Passes 3 cycles
<b>Viscosity (Brookfield)</b>	<10 centipoise	<b>Density</b>	8.6 lb/gal @ 68°F 1.03 kg/L @ 20°C	<b>VOC</b>	0.04%

MSDS sheets available for download at [www.pioneer-eclipse.com](http://www.pioneer-eclipse.com)



©2011 Amano Pioneer Eclipse Corporation • 1 Eclipse Road • PO Box 909 • Sparta, NC 28675 USA  
 1-800-367-3550 • 1-336-372-8080 • Fax: 1-336-372-2895 • [www.pioneer-eclipse.com](http://www.pioneer-eclipse.com)