

## FORMULA X<sup>®</sup> BASEBOARD GEL STRIPPER

*A heavy duty, fast acting aerosol baseboard stripper that removes floor finish build-up with maximum efficiency.*

### FEATURES

- *Gel formulation clings to vertical surfaces*
- *Inverted spray valve makes for easy dispensing*
- *Contains no chlorinated solvents or ozone depleters*



### RECOMMENDED FLOOR SURFACES

All resilient tile flooring and baseboards, linoleum and most types of terrazzo, marble and quarry tile

Not recommended for asphalt, rubber or asbestos tile flooring

**NOTE:-** Test surface for color fastness in an inconspicuous area.

### PRODUCT DATA

Description:	Clinging gel aerosol baseboard stripper
Appearance:	Cloudy colorless liquid gel
Fragrance:	Mild citrus solvent
pH:	13.2 ± 0.5 ASTM E70-97
Shelf Life:	2 years, ASTM D1791-93 (1998)
Density:	18 US oz (510 g)
Vapor Pressure:	60 psig @ 70°F
Spray Pattern:	Oval
Flammability:	Nonflammable per CPSC Flame Projection Test
Freeze/thaw:	Passes 3 cycles, ASTM D3209-93 (1998)

### PRECAUTIONS

Keep out of reach of children. Keep cap on container when not in use. Keep from freezing. Combustible. Gloves and safety glasses recommended. Floor may become very slippery. Wear appropriate non-slip safety shoes. This product should not be used in contact with wood, rubber, painted surfaces or on asphalt or asbestos tile.

### ORDERING INFORMATION

Product #503A12:	18 oz (510 grams)
	Twelve 18-oz. aerosol cans per case

### DIRECTIONS FOR USE

1. SHAKE WELL.
2. Spray onto surface to be stripped holding can upside down 6 to 10 inches (15-25 cm) from surface. Apply a thin uniform coat of Formula X Baseboard Gel Stripper. Do not overspray.
3. Leave on surface for 3 to 5 minutes, then scrub with a wet cleansing sponge or similar tool.
4. Rinse thoroughly with clean water.

Always test this product on an inconspicuous area to be cleaned before using. Wipe off any overspray immediately from furniture, walls, and other surfaces.

# FORMULA X BASEBOARD GEL STRIPPER

**LAST REVISION DATE:** 12/5/07  
**MANUFACTURER:** Amano Pioneer Eclipse® Corp.  
 Sparta, NC 28675 Phone: 1-336-372-8080  
**FOR CHEMICAL EMERGENCY:** Spill, Leak, Fire,  
 Exposure or Accident **CALL CHEMTREC - Day**  
**or Night 1-800-424-9300** Toll Free in the  
 Continental US, **483-7616** in DISTRICT OF  
 COLUMBIA. For calls originating outside the US:  
 Call Collect **1-202-483-7616** Washington, DC.

**SECTION I: GENERAL INFORMATION**

**PRODUCT NAME:** Formula X® Baseboard  
 Gel Stripper  
**PRODUCT #:** 503A  
**PRODUCT TYPE:** Aerosol floor finish stripper  
**PRECAUTIONS:** Do not get in eyes,  
 on skin or clothing. Keep container sealed when  
 not in use. Keep out of reach of children.  
**FLAMMABILITY:** 1  
**REACTIVITY:** 0  
**HEALTH:** 2  
**NFPA HAZARD RATINGS**

4-EXTREME	3-HIGH	2-MODERATE
1-SLIGHT	0-INSIGNIFICANT	



**SECTION II: HAZARDOUS INGREDIENTS**

**INGREDIENT:** Butane/Propane Propellant Mixture  
**CAS#:** 106-97-8/74-98-6  
 %: N/E  
**OSHA PEL:** 1000 ppm (TWA) Propane, N/E  
 Butane  
**ACGIH TLV:** 1000 ppm (TWA)  
**LD<sub>50</sub> SPECIES & ROUTE:** N/E

**\*INGREDIENT:** 2-Butoxyethanol  
**CAS#:** 111-76-2  
 %: <8  
**OSHA PEL:** 50 ppm (skin) (TWA)  
**ACGIH TLV:** 20 ppm (TWA)  
**LD<sub>50</sub> SPECIES & ROUTE:** 0.5 g/kg rat, oral

**\*INGREDIENT:** Monoethanolamine  
**CAS#:** 141-35-5  
 %: <2  
**OSHA PEL:** 3 ppm (TWA)  
**ACGIH TLV:** 6 ppm (STEL), 3 ppm (TWA)  
**LD<sub>50</sub> SPECIES & ROUTE:** 1.2 g/kg rat, oral

\* This chemical is subject to the reporting  
 requirements of Section 313 of SARA Title III.

N/E = Not Established, N/L = Not Listed  
 N/A = Not Applicable

**SECTION III: PHYSICAL/CHEMICAL DATA**

**APPEARANCE:** Slightly cloudy colorless gel fluid  
**PHYSICAL STATE:** Aerosol Spray  
**pH:** 13.2 ± 0.5  
**BOILING POINT:** 100°C / 212°F  
**EVAPORATION RATE:** Less than water  
**FREEZING POINT:** 0°C / 32°F  
**VAPOR DENSITY:** Less than air  
**VOLATILE BY WEIGHT:** 92-95%  
**VAPOR PRESSURE:** 60 psig @70°F  
**SOLUBILITY IN WATER:** Miscible

**SECTION IV: FIRE AND EXPLOSION DATA**

**FLASH POINT:** N/A  
**EXPLOSIVE LIMITS:**  
 LOWER: N/A UPPER: N/A  
**EXTINGUISHING MEDIA:** Water spray, CO<sub>2</sub>, dry  
 chemical, alcohol-type or universal type foams  
**SPECIAL FIRE FIGHTING PROCEDURES:** Do not  
 spray a solid stream of water or foam directly  
 into hot liquid. This may cause frothing.  
 Firefighters should wear NIOSH approved  
 breathing apparatus. Contents under pressure.  
 Exposure to temperatures above 120°F may  
 cause bursting.  
**HAZARDOUS COMBUSTIBLE PRODUCTS:** N/A  
**UNUSUAL FIRE AND EXPLOSION HAZARDS:**  
 Materials can splatter above 100°C / 212°F.

**SECTION V: REACTIVITY DATA**

**STABILITY:** Stable  
**HAZARDOUS POLYMERIZATION:** Will not occur.  
**INCOMPATIBILITY (MATERIALS TO AVOID):**  
 Strong acids and strong oxidizing agents  
**HAZARDOUS DECOMPOSITION PRODUCTS:**  
 Carbon monoxide, carbon dioxide and  
 nitrogen oxides  
**REACTIVITY CONDITIONS:** None  
**CONDITIONS TO AVOID:** Extreme temperatures

**SECTION VI: HEALTH HAZARD DATA**

**EYES:** May cause severe burns or possible  
 corneal damage. For eye contact, flush with a  
 large amount of water for at least 15 minutes.  
 See a physician immediately.  
**SKIN:** Irritation, reddening or possible damage  
 upon repeated or prolonged contact. For skin  
 contact, wash affected areas with soap and  
 water. Seek medical attention if irritation persists.  
**INHALATION:** Vapor or mist can cause headache,  
 nausea and irritation of the eyes, nose, throat  
 and lungs. For overexposure, move subject to  
 fresh air. Seek medical attention if symptoms  
 persist.  
**INGESTION:** May cause nausea, abdominal  
 discomfort, vomiting, diarrhea. If ingested, give  
 two glasses of water or milk and do not induce  
 vomiting. Remove by endotracheal intervention.  
 Seek medical attention immediately.  
**CHRONIC EFFECTS AND MEDICAL CONDITIONS**  
**AGGRAVATED BY OVEREXPOSURE:** Main hazard  
 is due to severe irritant properties of product.  
 Treatment should be directed at the control of  
 symptoms and the clinical condition of  
 the patient.  
**CARCINOGEN:** Non-carcinogenic  
**REPRODUCTIVE EFFECTS:** N/E  
**TERATOGENICITY:** N/E  
**MUTAGENICITY:** N/E  
**THRESHOLD LIMIT VALUE:** See Section II.

**SECTION VII: SPILL, LEAK & DISPOSAL PROCEDURES**

**SMALL SPILLS:** Absorb spill with inert material  
 (e.g. sand, earth) and dispose of as waste  
 material in accordance with local, state and  
 federal regulations. Neutralize residue with  
 vinegar, mild acid or large amount of water.

**LARGE SPILLS:** Keep spectators away. Floors  
 may be slippery; use care to avoid falling. Dike  
 and contain spill with inert material (e.g. sand,  
 earth). Transfer liquid to containers for recovery  
 or disposal and solid diking material to separate  
 containers for disposal. Keep spills and cleaning  
 runoff out of sewers and open bodies of water.  
**WASTE DISPOSAL:** Landfill or incinerate the  
 contaminated solids and diking material  
 according to local, state and federal regulations  
 concerning disposal of hazardous materials.  
 Non-salvageable liquid should be drummed  
 and turned over to a licensed hazardous waste  
 disposal facility.

**SECTION VIII: SPECIAL PROTECTION**

**EYE PROTECTION:** Chemical splash goggles  
 (ANSI Z87.1-1989 or approved equivalent)  
**RESPIRATORY PROTECTION:** None required  
 when permissible airborne concentrations are  
 not exceeded. In emergency, use approved  
 positive pressure self-contained breathing device.  
**VENTILATION:** Mechanical local exhaust  
 ventilation at point of contamination release  
**OTHER PROTECTIVE EQUIPMENT:** As required  
 by employer code. Rubber boots and chemical  
 resistant gloves recommended.

**SECTION IX: SPECIAL PRECAUTIONS**

**HANDLING AND STORAGE:** Storage temperature  
 (MAX. 50°C / 120°F) (MIN. 1°C / 34°F)  
**OTHER PRECAUTIONS:** Keep from freezing. Do  
 not store near heat or open flame. Do not throw  
 into fire or incinerator.

**SECTION X: ADDITIONAL INFORMATION**

Neither this data sheet nor any statement  
 contained herein grants or extends any license,  
 expressed or implied, in connection with patents  
 issued or pending which may be the property  
 of the manufacturer or others. The information  
 in this data sheet has been assembled by the  
 manufacturer based on its own studies and  
 the work of others. The manufacturer makes  
 no warranties, expressed or implied, as to the  
 accuracy, completeness or adequacy of the  
 information contained herein. The manufacturer  
 shall not be liable (regardless of fault) or the  
 vendee, the vendee's employees or anyone for  
 any direct, special or consequential damages  
 arising out of or in connection with the accuracy,  
 completeness, adequacy or furnishing of  
 such information.

This MSDS has been provided to you in accordance  
 with the OSHA HAZARD COMMUNICATION STANDARD  
 (29CFR1910.1200).

\*\*\*IMPORTANT SAFETY INFORMATION  
 DO NOT DISCARD\*\*\*  
 \*\*PLEASE ROUTE TO COMPANY SAFETY OFFICER\*\*

